

Configuration de **WinGX** (T.R.)

Model menu

Menu tag	Fullpath of executable	Command line arguments
CRYSCAL P4P	cryscal	p4p

OK Cancel

Data menu

Menu tag	Fullpath of executable	Command line arguments
Shell_d077	cryscal	f:\bat\shell_d077.cfl

OK Cancel

Contenu du fichier *shell_d077.cfl* :

```
file import.cif
shell d 0.77 7.
```

Solve menu

User Table for Solve menu [X]

Menu tag	Fullpath of executable	Command line arguments
CREATE_ins	create_ins	

OK Cancel

Refine menu

User Table for Refine menu [X]

Menu tag	Fullpath of executable	Command line arguments
SHELXL97	run_shelxl	
SHELXL97H	run_shelxl	huge
Edit job.hkl	edit_file	job.hkl
Shell_d	shell_d.bat	
HTAB_list	create_htab	
Edit_HTAB	edit_file	htab_lst.ins

OK Cancel

Publish menu

User Table for Publish menu [X]

Menu tag	Fullpath of executable	Command line arguments
CRYSCAL CIF	cryscal	archive.cif
edit_archive	edit_file	archive.cif
edit cryscal	edit_file	cryscal.cif
edit_job_tex	edit_file	job.tex
Edit iucr.ls	edit_file	iucrval.lst
edit_CIFDEP	edit_file	cifdep.cif
REPORT	cryscal	report
REPORT LONG	cryscal	report_long
edit_report	edit_file	archive_structural_report.html

OK Cancel